

Search



Rollover image to zoom



STEEL DROPIN™ - CARBON STEEL KNURLED WALL INTERNALLY THREADED EXPANSION ANCHOR

The Steel Dropin is an all-steel, machine bolt anchor available in carbon steel and two types of stainless steel. It can be used in solid concrete, including lightweight concrete and concrete-filled steel deck members. The anchors can also be considered for hard stone and solid block base materials. A coil thread version for forming applications is also available.

READ MORE ▾

SEE PRODUCT DETAILS

SHARE THIS PRODUCT:

GENERATE A SUBMITTAL REPORT ▾

**FEATURES &
SPECS**

**APPLICATIONS &
USES**

**APPROVALS &
LISTINGS**

**BROCHURES &
MANUALS**

**INSTALLATION
SYSTEMS**

FEATURES & SPECS

FEATURES

- Internally threaded anchor for easy bolt removability and service work
- Flanged (lipped) version installs flush for easy inspection and standard embedment
- Smooth wall dropin can be installed flush mounted or below the base material surface (optionally available with a knurled body)
- Coil thread version accepts coil rod and typically used for concrete formwork applications

SPECIFICATIONS

CATALOG NUMBER	ANCHOR SIZE	ANCHOR LENGTH OVERALL	DRILL DIAMETER	INTERNAL THREAD DEPTH	MINIMUM EMBEDMENT DEPTH	PACK QTY	APPROVALS
<u>06340-PWR</u>	1/4"	1"	3/8"	7/16"	1"	100	-
<u>06342-PWR</u>	3/8"	1-9/16"	1/2"	5/8"	1-9/16"	50	-
<u>06344-PWR</u>	1/2"	2"	5/8"	13/16"	2"	50	-

GENERAL APPLICATION & USES

APPLICATIONS

- Suspending Conduit
- Fire Sprinkler Supports
- Cable Trays and Strut
- Concrete Formwork
- Pipe Supports
- Suspended Lighting

APPROVALS & LISTINGS

APPROVALS

- Tested in accordance with ASTM E488 in uncracked concrete
- Underwriters Laboratory (UL Listed) – File No. EX1289 and VFXT7.EX1289, see listing for sizes
- FM Approvals (Factory Mutual) – see approval for sizes
- Federal GSA Specification – meets descriptive



BROCHURES & MANUALS

TECH PAGE



LAST UPDATE: 12/02/22
FILE SIZE: 979.73kb

[VIEW PDF](#)

TECH BULLETIN



COMMERCIAL ITEM DESCRIPTIONS
(CIDS)

LAST UPDATE: 12/12/22
FILE SIZE: 149.94kb

[VIEW PDF](#)

SELECTION GUIDE




LAST UPDATE: 1/31/22
FILE SIZE: 3.62Mb

[VIEW PDF](#)

EXPLORE

INSTALLATION SYSTEMS

INSTALLATION SYSTEMS





MECHANICAL ANCHORS	CHEMICAL ANCHORS	DIRECT FASTENING	SCREW FASTENERS
Power-Stud®+ SD1	AC200+™	Cordless Tools	Drilit®
Power-Stud®+ SD2	AC100+ Gold®	Cordless Fasteners	Dril-Flex®
Power-Stud®+ SD4/SD6	AC50™	STICK-E™ Direct Fastening Assemblies	Bi-Flex®
Power-Stud® HD5	Pure110+®	Cordless Accessories	Alumi-Flex®
Power-Stud®	Pure50+™	Gas Tools	Architectural Roof Clip Fasteners
Domestic Wedge Anchors	PE1000+®	Gas Fasteners	Tap-Flex®
CCU+™	Hammer-Capsule®	STICK-E™ Direct Fastening Assemblies	TapFast®
Show More ▼	Show More ▼	Show More ▼	Show More ▼
SUPPORT & SOFTWARE	COMPANY INFORMATION	TRADE SOLUTIONS	
Approvals & Listings	Locations & Services	Mechanical Contractors	
SDS/MSDS	Contact Us	Electrical	
CAD/BIM Models	ISO Certification	Plumbing	
Literature		HVAC/Sheet Metal Fabricators	
Designer Training			
Adhesive Anchor Training			
Powder-Actuated Tool Training & Certification			
Show More ▼			



COPYRIGHT© 2023 DEWALT. All Rights Reserved. The following are trademarks for one or more DEWALT Power Tools and Accessories: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

[Updated Privacy Policy](#) | [Terms of Use](#)

