



---

**PRODUCT-DETAILS**

# KIT FC CuAl A2 250ACu 225AAI 4pcs UL

# KIT FC CuAl A2 250ACu 225AAI 4pcs UL

---

**General Information**

Extended Product Type	KIT FC CuAl A2 250ACu 225AAI 4pcs UL
Product ID	1SDA069984R1
EAN	8015644707835
Catalog Description	KIT FC CuAl A2 250ACu 225AAI 4pcs UL
Long Description	FRONT TERMINALS FOR CABLES IN COPPER 250A - ALUMINIUM 225A 4pcs A2 UL

---

**Circular Value**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

---

**Environmental**

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

## Ordering

Order Code US and Canada	KA2225-4
EAN	8015644707835
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

## Dimensions

Product Net Weight	0.1 kg
--------------------	--------

## Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	40 mm
Package Level 1 Height	200 mm
Package Level 1 Depth / Length	250 mm
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	8015644707835

## Additional Information

Configuration Type	Loose or configurable
Number of Poles	2
Product Main Type	Accessories for FORMULA
Product Name	Accessory
Product Type	ACC
Standards	UL
Suitable For	A2

## Certificates and Declarations

Data Sheet, Technical Information	1SDC210400D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDC210032D0204

## Classifications

ETIM 7	EC002019 - Connection vane/phase spreader
ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals
UNSPSC	39121432
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA