

Eaton EFSC2192

Catalog Number: EFSC2192

Eaton Crouse-Hinds series EFS pushbutton control station, With pushbuttons, With two 3/4" hubs, Feraloy iron alloy, Two circuit universal, 2, 2, Single-gang, 2, Through feed, 3/4", 600 Vac



General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EFS pushbutton control station	EFSC2192
	UPC
	782274294407
Product Length/Depth	Product Height
6.72 in	5.25 in
Product Width	Product Weight
3.5 in	8.13 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With pushbuttons

Voltage rating

600 Vac

Number of gangs

Single-gang

Number of pushbuttons

2

Number of devices

2

Normal position

Two circuit universal

Style

Through feed

Trade size

3/4"

Number of circuits

2

Hub style

With two 3/4" hubs

Material

Feraloy iron alloy

Resources

3D models

SP3D Design Package - EDS and EFS Explosionproof Control Stations

Catalogs

EFS explosionproof control stations for group B applications - catalog page

Certification reports

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification

Installation instructions

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

Specifications and datasheets

Eaton Specification Sheet - EFSC2192



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)