



Tandem circuit breaker, Homeline, 2 x 1 pole at 20A, 120/240VAC, 10kA AIR, plug in, UL

HOMT2020

Product availability: Stock - Normally stocked in distribution facility

Main

Product	Miniature circuit-breaker	
Range	Homeline	
Current Rating	20 A	
Certifications	UL Listed	
Voltage Rating	120/240 V AC	
Mounting Type	Plug-in	
Number of Poles	1P	
Short Circuit Current Rating	10 kA	
Number of Spaces	1	
Circuit Breaker Type	Tandem	
Ratings	HACR rated	
Electrical Connection	Box lugs	
Wire Size	1 x AWG 14AWG 8 (aluminium/copper)	

Complementary

Tightening torque	35.4 lbf.in (4.0 N.m) 0.0040.009 in² (2.56 mm²) (AWG 14AWG 8)
Height	3.13 in (79.50 mm)
Width	1 in (25.4 mm)
Depth	2.98 in (75.69 mm)

Environment

Ambient air temperature for $\,$ 104 °F (40 °C) operation

Ordering and shipping details

Category	US1DE3D00046
Discount Schedule	DE3D
GTIN	785901065401
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1	1	
Package 1 Height	3.00 in (7.62 cm)	
Package 1 Width	1.00 in (2.54 cm)	
Package 1 Length	3.30 in (8.382 cm)	
Package 1 Weight	7.200 oz (204.117 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	10	
Package 2 Height	3.80 in (9.652 cm)	
Package 2 Width	1.00 in (2.54 cm)	
Package 2 Length	10.40 in (26.416 cm)	
Package 2 Weight	4.550 lb(US) (2.064 kg)	
Unit Type of Package 3	PAL	
Number of Units in Package 3	3600	
Package 3 Height	40.00 in (101.6 cm)	
Package 3 Width	40.00 in (101.6 cm)	
Package 3 Length	48.00 in (121.92 cm)	
Package 3 Weight	1655.999 lb(US) (751.148 kg)	

Contractual warranty

Warranty Lifetime



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	23	
Environmental Disclosure	Product Environmental Profile	

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	Yes	
EU RoHS Directive	Compliant	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No