

PRODUCT-DETAILS

# LTC038GY

## 3/8IN LT TYPE B COND PVC GRY



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | LTC038GY  |
| Product ID            | 7TAD012620R0002   |
| EAN                   | 5414363155065   |
| Catalog Description   | 3/8IN LT TYPE B COND PVC GRY  |
| Long Description      | Commercial Grade, Type B Liquidtight Flexible PVC Conduit, 3/8 Inch Conduit Size, Approved for Outdoor and Direct Burial in the US, UL Temperature Ratings - 80 Degrees C Dry, 60 Degree C Wet, 70 Degree C Oil, Oil Resistant, Voltage Rating 600V, Gray |

### Additional Information

|              |   |
|--------------|---|
| Application  | Machine Tools, Motor Hookups, Food Processing Equipment, Extensions from Wire Ways, and Sensor and Micro Switch Wiring Found In Control Consoles. |
| Product Type | Liquidtight Flexible Non-Metallic Conduit   |

### Ordering

|                       |               |
|-----------------------|---------------|
| EAN                   | 5414363155065 |
| UPC                   | 786210880754  |
| Customs Tariff Number | 3926909985    |

### Dimensions

|                            |        |
|----------------------------|--------|
| Product Net Depth / Length | 30.5 m |
|----------------------------|--------|

---

### Technical

|                     |       |
|---------------------|-------|
| Number of Batteries | 0     |
| Color               | Gray  |
| Material            | PVC   |
| Voltage Rating      | 600 V |

---

### Environmental

|               |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

---

### Container Information

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 100 ft            |
| Package Level 1 Height         | 5.8 in<br>147 mm  |
| Package Level 1 Depth / Length | 20.5 in<br>521 mm |
| Package Level 1 Width          | 20.2 in<br>513 mm |

---

### Certificates and Declarations (Document Number)

|                                   |           |
|-----------------------------------|-----------|
| Data Sheet, Technical Information | TDS000138 |
| Instructions and Manuals          | LTC038GY  |

---

### Classifications

|        |                                    |
|--------|------------------------------------|
| ETIM 8 | EC001177 - Protective plastic hose |
| UNSPSC | 39131706                           |

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

